Section 2. Form PTO - 1449 (Modified) (ATTACHMENT)

Confe

FORM PTO-1449 U.S. DEPT. OF COMMERCE	VE NOS	ATTY DOCKET NO.	SERIAL NO.
(Modified) PATENT AND TRADEMARK OFFICE	(E) (B)	BTI-41	09/441,318
	10 ch 2	APPLICANT	
	00 ×	Conklin et al	
INFORMATION DISCLOSURE STATEMENT BY APPLI	CANTAIN	FILING DATE	GROUP
	A TRADE	11/16/99	1649 35
	TATENTO S		

U.S. PATENT DOCUMENTS

Exam Initial	DOCUMENT NUMBER	DATE	PATENTEE	CLASS	SUB	FILING DATE IF APPROPR

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION

Exam Initial	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB	TRANSLATION YES NO
						i

OTHER PRIOR ART

Exam		Author, Title, Date, Pertinent Pages, Etc
Initial		
ARK	AA	Barber, G. A., 1971 Synthesis of L-galactose by plant enzyme systems. Arch Biochem Biophys 147: 619-623.
	AB	Becker, D., E. Kemper, J. Schell and R. Masterson, 1992 New plant binary vectors with selectable markers located proximal to the left T-DNA border. Plant Mol Biol 20 : 1195-1197.
	AC	Bonin, C. P., I. Potter, G. F. Vanzin and WD. Reiter, 1997 The <i>MUR1</i> gene of <i>Arabidopsis</i> thaliana encodes an isoform of GDP-D-mannose-4,6-dehydratase, catalyzing the first step in the <i>de novo</i> synthesis of GDP-L-fucose. Proc Natl Acad Sci USA 94 : 2085-2090.
	AD	S.J. Clough and A.F. Bent, 1998. Plant J. 16: 735-743.
	AE	Conklin, P. L., and R. L. Last, 1995 Differential accumulation of antioxidant mRNAs in
		Arabidopsis thaliana exposed to ozone. Plant Physiol 109: 203-212.
	AF	Conklin, P. L., S. N. Norris, G. L. Wheeler, N. Smirnoff, E. H. Williams and R. L. Last, 1999a
		Genetic evidence for the role of GDP-mannose in plant vitamin C biosynthesis. Proc Natl Acad
		Sci USA, Vo. 96, pp. 4198-4203.
	AG	Conklin, P. L., J. E. Pallanca, R. L. Last and N. Smirnoff, 1997 L-Ascorbic acid metabolism in
		the ascorbate deficient mutant vtc1. Plant Physiol 115: 1277-1285.
Apr	ΑH	Conklin, P. L., S. A. Saracco, S. R. Norris and R. L. Last, 1999b Vitamin-C-deficient Arabidopsis
/ 1 K		thaliana mutants isolated using a novel vitamin C-detection method. Genetics, in preparation.

Identification of accordic acid-devictent Arabidopors that and mutants Genetics, 2000 154:847-856.

Suice A thelalate

7/18/01

		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
101	ΑI	Conklin, P. L., E. H. Williams and R. La ast, 1996 Environmental stress sensitivity of an
XXI'		ascorbic acid-deficient Arabidosis and ant. Proc Natl Acad Sci USA 93: 9970-9974.
, I	AJ	Dawson, R. M. C., Elliot, D. C., Elliot, W. H. & Jones, K. M. (1986) in <i>Data forBiochemical</i>
		Research, Third Edition (Oxford Univ. Press, London), pp. 485-486.
	AK	Hashimoto, H., A. Sakakibara, M. Yamasaki and K. Yoda, 1997 Saccharomyces cerevisiae VIG9
		encodes GDP-mannose pyrophosphorylase, which is essential for protein glycosylation. J.Biol
		Chem 272: 16308-16314.
	AL	Karpinski, S., C. Escobar, B. Karpinska, G. Creissen and P. M. Mullineaux, 1997 Photosynthetic
		electron transport regulates the expression of cytosolic ascorbate peroxidase genes in Arabidopsis
		during excess light stress. Plant Cell 9: 627-640.
	AM	Kishida, E., Y. Nishimoto and S. Kojo, 1992 Specific determination of ascorbic acid with
		chemical derivatization and high-performance liquid chromotography. Anal Chem 64: 1505-
		1507.
	AN	Lamb, C., and R. A. Dixon, 1997 The oxidative burst in plant disease response. Annu Rev Plant
		Physiol Plant Mol Biol 48: 251-275.
	AO	Landry, L. G., C. C. S. Chapple and R. L. Last, 1995 Arabidopsis mutants lacking phenolic
		sunscreens exhibit enhanced ultraviolet-B injury and oxidative damage. Plant Physiol 109: 1159-
		1166.
	AP	Levine, A., R. Tenhaken, R. Dixon and C. Lamb, 1994 H ₂ O ₂ from the oxidative burst
		orchestrates the plant hypersensitive disease resistance response. Cell 79 : 583-593.
	AQ	Mächler, F., M. R. Wasescha, F. Krieg and J. J. Oertli, 1995 Damage by ozone and protection by
		ascorbic acid in barley leaves. J. Plant Physiol 147: 469-473.
	AR	Menser, H. A., 1964 Response of plants to air pollutants. III. A relation between ascorbic acid
		levels and ozone susceptibility of light preconditioned tobacco plants. Plant Physiol 39: 564-567.
	AS	Ôba, K., S. Ishikawa, M. Nishikawa, H. Mizuno and T. Yamamoto, 1995 Purification and
		properties of L-galactono-g-lactone dehydrogenase, a key enzyme for ascorbic acid biosynthesis,
		from sweet potato roots. J Biochem 117: 120-124.
	AT	Østergaard, J., G. Persiau, M. W. Davey, G. Bauw and M. Van Montagu, 1997 Isolation of a
		cDNA coding for L-galactono-g-lactone dehydrogenase, an enzyme involved in the biosynthesis
		of ascorbic acid in plants. J Biol Chem 272: 30009-30016.
	AU	Pandya, N., and S. J. Bedi, 1990 Induction of pollution resistance in tomato. Adv Plant Sci 3:
		171-177.
	AV	Smirnoff, N., 1996 The function and metabolism of ascorbic acid in plants. Ann Bot 78: 661-669.
	AW	Smirnoff, N., and J. E. Pallanca, 1996 Ascorbate metabolism in relation to oxidative stress.
	4 37	Biochem Soc Trans 24: 472-478.
	AX	Somerville, C. R., S. Turner, WR. Schieble, W. Lukowitz, T. Nickle, D. Meinke, S. Cutler and
		T. Richmond, 1998 Genetic dissection of cell wall composition in Arabidopsis. Plant Physiol S:
	A 37	500001.
1 1	AY	Szumilo, T., R. R. Drake, J. L. York and A. D. Elbein, 1993 GDP-mannose pyrophosphorylase. J
 	۸7	Biol Chem 268: 17943-17950.
	AZ	Wheeler, G. L., M. A. Jones and N. Smirnoff, 1998 The biosynthetic pathway of vitamin C in
	D A	higher plants. Nature 393: 365-369.
Dow	BA	Wu, G., B.J. Shortt, E. B. Lawrence, E. B. Levine, K.C. Fitzsimmons and D. M. Shah, 1995,
1 AHKICI	_	Disease resistance conferred by expression of a gene encoding H ₂ O ₂ -generating glucose oxidase
		in transgenic potato plants., Plant Cell 7: 1357-1368.

Alle Millede.

7/18/01

Acre	BB	HAUGHN, G. W., and C. SOMERVILLE, 1986 Sulfonylurea-resistant mutants of Arabidopsis
*RIC		thaliana. Mol. Gen. Genet. 204: 430-434.
	BC	KUTNINK, M. A., W. C. HAWKES, E. E. SCHAUS and S. T. OMAYE, 1987 An internal standard
(method for the unattended high-performance liquid chromatographic analysis of ascorbic acid in
		blood components. Anal. Biochem. 166: 424-430.
	BD	Li, J., J. Zhao, A. B. Rose, R. Schmidt and R. L. Last, 1995 Arabidopsis
1		phosphoribosylanthranilate isomerase: molecular genetic analysis of triplicate tryptophan
		pathway genes. Plant Cell 7: 447-461.
	BE	MITTON, K. P., and J. R. TREVITHICK, 1994 High-performance liquid chromatography-
		electrochemical detection of antioxidants in vertebrate lens: glutathione, tocopherol, and
		ascorbate. Meth. Enzymol. 233: 523-539.
	BF	NICKLE, T. C., and D. W. MEINKE, 1998 A cytokinesis-deficient mutant of Arabidopsis (cyt1)
		characterized by embryonic lethality, incomplete cell walls and excessive callose accumulation.
		Plant J. 15: 321-332.
ľ	BG	SHARMA, Y. K., and K. R. DAVIS, 1994 Ozone-induced expression of stress-related genes in
		Arabidopsis thaliana. Plant Physiol. 105: 1089-1096.
	BH	Jayaratne, P., Bronner, D., Maclachlan, P. R., Dodgson, C., Kido, N. & Whitfield, C. (1994) J
		Bacteriol. 176, 3126-3139.
	BI	Griffin, A. M., Poelwijk, E. S., Morris, V. I & Gasson, M. J. (1997) FEMS Microbiol. Letts. 154,
		389-396.
	BJ	Sa-Correia, I., Darzins, A., Wang, SK., Berry, A. & Chakrabarty, A. M. (1987) J BacterioL 169
		3224-3231.
	BK	Loewus, M. W., J. A. Hick, D.L. Bedgar and F.A. Loewus, 1987, Plant Physiol 83S:126
\	BM	Report for Putative Mannose, July 1999, Sequence for putative mannose-1-phosphate
		guanyltransferase T517.7
	BL	Nucleotide Query, 1999, Arbidoopsis thaliana chromosome II BAC T517 genomic sequence, .
1	BM	Barber, G., 1979, Observations on the Mechanism of the Reversible Epimerization of GDP-d-
		mannose to GDP-l-GALACTOSE BY AN Enzyme of <i>Chloerally pyrenoidosa</i> , Jnl. Of Biologica
	7.11	Chem., Vol. 254, pp 7600-7603.
	BN	Burget, E.G. and Reiter, W., 1999, The mur4 Mutant of Arobidopsis Is Partially Defective in the
	D.C.	de Nova Synthesis of Urdine Diphospho L-Arabinose, Plant Physiology, Vol. 121, pp 383-389.
ADV	ВО	Davey, M.W. et al, 1999, Ascorbate Biosynthesis in Arabidopsis Cell Suspension Culture, Plant
VM-	ļ	Physiology, Vo. 121, pp. 535-543.
	1	

DATE CONSIDERED